

Dijelovi osobnog vozila



01

ABA-crijevne obujmice

► Opis proizvoda:

- 50% veća vučna sila u odnosu na standardne crijevne obujmice navoja pužnice
- kućište bez šavova i zakovica, od jednog dijela
- spregnuta traka s povišenim rubovima sprječava oštećenje stijenke crijeva
- kratko sedlo kućišta jamči optimalno nalijeganje
- šesterobridni vijak s urezom



01

Br. artikla	Raspon napona	Br. artikla	Raspon napona
5538-008-012	8 - 12 mm	5538-025-040	25 - 40 mm
5538-010-016	10 - 16 mm	5538-032-050	32 - 50 mm
5538-012-020	12 - 20 mm		
5538-016-025	16 - 25 mm		
5538-020-032	20 - 32 mm		

02

Crijevne obujmice navoja pužnice

► Opis proizvoda:

- Traka i kućište: nehrđajući čelik 1.4016
- Vijak: Čelik, pocinčani, širina trake 9 mm
- Širina ključa 7 mm



02

Br. artikla	Raspon napona	Br. artikla	Raspon napona
5539-008-16	8 - 16 mm	5539-090-110	90 - 110 mm
5539-012-20	12 - 22 mm	5539-100-120	100 - 120 mm
5539-016-25	16 - 27 mm	5539-110-130	110 - 130 mm
5539-020-32	20 - 32 mm	5539-120-140	120 - 140 mm
5539-025-40	25 - 40 mm	5539-160-180	160 - 180 mm
5539-032-50	32 - 50 mm	5539-140-160	140 - 160 mm
5539-040-60	40 - 60 mm	5539-130-150	130 - 150 mm
5539-050-70	50 - 70 mm	5539-150-170	150 - 170 mm
5539-060-80	60 - 80 mm		
5539-070-90	70 - 90 mm		
5539-080-100	80 - 100 mm		

03

Crijevne obujmice s navojem pužnice i naboranom oprugom

- Pogonski vijak 6-bridni. Širina ključa 7 mm s urezom
- izjednačava promjene u promjeru
- samostalni efekt dotezanja kod opuštanja crijeva
- povećana pouzdanost brtvila u širem rasponu temperature



03

Br. artikla	Raspon napona	Br. artikla	Raspon napona
5539-216-27	16 - 27 mm	5539-250-70	50 - 70 mm
5539-220-32	20 - 32 mm	5539-260-80	60 - 80 mm
5539-225-40	25 - 40 mm		
5539-230-45	30 - 45 mm		
5539-235-50	35 - 50 mm		
5539-240-60	40 - 60 mm		

04

Breeze-crijevne obujmice

► Opis proizvoda:

- Traka i kućište: Plemeniti čelik A2
- Vijak: Čelik, pocinčani, urezani šesterobridni vijak
- navoj pužnice, širina trake 14,3 mm
- širina ključa 8 mm



04

Br. artikla	Raspon napona	Br. artikla	Raspon napona
5547-11-20	10 - 20 mm	5547-80-100	80 - 100 mm
5547-16-25	16 - 25 mm	5547-90-110	90 - 110 mm
5547-20-32	20 - 32 mm	5547-100-120	100 - 120 mm
5547-25-40	25 - 40 mm	5547-110-130	110 - 130 mm
5547-32-50	35 - 50 mm	5547-120-140	120 - 140 mm
5547-40-60	40 - 60 mm		
5547-50-70	50 - 70 mm		
5547-60-80	60 - 80 mm		
5547-70-90	70 - 90 mm		

01

Stezaljka s jednom ušicom
s nehrđajućim umetnim prstenom


01

Br. artikla	Područje promjera	Širina snopa
5541-070	5,6 - 6,5 mm	6,4 mm
5541-087	7,0 - 8,2 mm	6,4 mm
5541-095	7,5 - 9,0 mm	7,4 mm
5541-010-5	8,5 - 10,0 mm	7, mm
5541-011-3	9,1 - 10,8 mm	7,4 mm
5541-012-3	9,8 - 11,8 mm	7,4 mm
5541-012-8	10,3 - 12,3 mm	7,4 mm
5541-013-3	10,6 - 12,6 mm	8,2 mm

Br. artikla	Područje promjera	Širina snopa
5541-013-8	11,1 - 13,1 mm	8,2 mm
5541-014-5	11,8 - 13,8 mm	8,2 mm
5541-015-0	12,3 - 14,3 mm	8,2 mm
5541-015-5	12,8 - 14,8 mm	8,2 mm
5541-016-0	13,1 - 15,3 mm	8,2 mm
5541-016-8	13,9 - 16,1 mm	8,2 mm
5541-017-5	14,6 - 16,8 mm	8,2 mm

02

Norma-crijevne obujmice
s oblogom stezne papučice
svi dijelovi potpuno čelično pocinčani


02

Br. artikla	Područje promjera	Širina snopa
5540-6-7	6 mm	7 mm
5540-8-7	8 mm	7 mm
5540-10-9	10 mm	9 mm
5540-11-9	11 mm	9 mm
5540-12-9	12 mm	9 mm
5540-13-9	13 mm	9 mm
5540-14-9	14 mm	9 mm
5540-15-9	15 mm	9 mm

Br. artikla	Područje promjera	Širina snopa
5540-16-9	16 mm	9 mm
5540-18-9	18 mm	9 mm
5540-20-9	20 mm	9 mm
5540-22-9	22 mm	9 mm
5540-18-12	18 mm	12 mm
5540-19-12	19 mm	12 mm
5540-25-15	25 mm	15 mm

03

Prikaz crijevne obujmice

▶ 5539-077-777

- ▶ Opis proizvoda:
- Traka i kućište: nehrđajući čelik
 - Vijak: Čelik, pocinčani
 - širina trake 9 mm
 - Širina ključa 7 mm



03

Br. artikla	Izvedba	Količina
5539-008-16	8 - 16 mm	20 x
5539-012-20	12 - 22 mm	20 x
5539-016-25	16 - 27 mm	10 x
5539-020-32	20 - 32 mm	10 x
5539-025-40	25 - 40 mm	10 x
5539-032-50	32 - 50 mm	10 x
5539-040-60	40 - 60 mm	10 x
5539-050-70	50 - 70 mm	10 x
5539-060-80	60 - 80 mm	10 x
5539-070-90	70 - 90 mm	10 x
5539-85	Hazet odvijač 6-bridni	1 x
7100-000-1	Izbušena ploča 500 x 450 mm	1 x
7100-000-3	Držać alata kosi 150 mm	12 x
7100-000-5	Samoljepljiva označna letvica 430 mm	2 x
7100-000-305	Univerzalna stezna obujmica 19 mm pričvrtni materijal, vijci i spojnice	1 x

04

Mini crijevna obujmica

Širina trake 5 mm, prethodno montirana



04

Br. artikla	Raspon napona
5541-7-11	7 - 11 mm
5541-9-16	9 - 14 mm
5541-10-19	10 - 19 mm


01

Clic-R obujmice

nehrđajući krom-nikal-čelik

▶ Opis proizvoda:

- prikladno za cirkulacijske krugove goriva, rashladnog sredstva, ulja i ventilacije, obujmice zglobov vratila, ugradnju plina u automobil, sva gumena i silikonska crijeva i brodogradnju



Br. artikla	Zatvoreni Ā	Područje promjera	Širina snopa	Boja
5537-066-70	7,0 mm	7,5 - 9,0 mm	6 mm	crna
5537-066-90	9,0 mm	9,5 - 11,0 mm	6 mm	ljubičasta
5537-066-105	10,5 mm	11,0 - 12,5 mm	6 mm	žuta
5537-086-115	11,5 mm	12,0 - 13,5 mm	8 mm	ljubičasta
5537-086-120	12,0 mm	12,5 - 14,0 mm	8 mm	crna
5537-086-125	12,5 mm	13,0 - 14,5 mm	8 mm	bijeli
5537-086-130	13,0 mm	13,5 - 15,0 mm	8 mm	žuta
5537-086-140	14,0 mm	14,5 - 16,0 mm	8 mm	ljubičasta
5537-086-150	15,0 mm	15,5 - 17,0 mm	8 mm	bijeli
5537-086-160	16,0 mm	16,0 - 18,0 mm	8 mm	zeleno
5537-086-165	16,5 mm	17,0 - 19,0 mm	8 mm	ljubičasta
5537-086-185	18,5 mm	19,0 - 21,0 mm	8 mm	zeleno

02

Ravna ručna kliješta

za Clic-R obujmice

▶ Br. artikla: 5537-1-75



03

Ručna kliješta zakrivljena

za Clic-R obujmice

▶ Br. artikla: 5537-2-75



04

Univerzalna obujmica cijevne poluge

M8 kompletno montirana

Br. artikla	Ā u mm
5883-6	42
5883-7	45
5883-8	48
5883-85	50
5883-9	52
5883-11	58
5883-12	60



05

Audi cijevna obujmica

kompletno s vijkom, maticom i opružnim prstenom

Br. artikla	Ā u mm
5883-080	45,5
5883-082	42,5
5883-084	53,5
5883-086-2	46,7
5883-086-3	48,5
5883-086-5	51,5
5883-086-7	54,5



06

Ford cijevna obujmica

M10, pobakrene sigurnosne matice, kompletno montirane

Br. artikla	Ā u mm	Br. artikla	Ā u mm
5883-043	43	5883-055	55
5883-045	45	5883-057	57
5883-048	48	5883-058	58
5883-050	50	5883-060	60
5883-051	51	5883-062	62
5883-053	53	5883-064	64



01

Cijevne pridržne obujmice


► Opis proizvoda:

- potpuno čelično pocinčane
- RSGU
- gumirane



01

Br. artikla	Promjer cijevi	Širina snopa	Promjer rupe
5542-6-12	6 mm	12 mm	5,3 mm
5542-6-15	6 mm	15 mm	6,4 mm
5542-8-12	8 mm	12 mm	5,3 mm
5542-8-15	8 mm	15 mm	6,4 mm
5542-8-20	8 mm	20 mm	8,4 mm
5542-9-12	9 mm	12 mm	5,3 mm
5542-10-12	10 mm	12 mm	5,3 mm
5542-10-15	10 mm	15 mm	6,4 mm
5542-12-12	12 mm	12 mm	5,3 mm
5542-12-15	12 mm	15 mm	6,4 mm
5542-15-12	15 mm	12 mm	5,3 mm
5542-15-15	15 mm	15 mm	6,4 mm
5542-15-20	15 mm	20 mm	8,4 mm
5542-18-15	18 mm	15 mm	6,4 mm
5542-20-15	20 mm	15 mm	6,4 mm
5542-20-20	20 mm	20 mm	8,4 mm
5542-25-12	25 mm	12 mm	5,3 mm
5542-25-15	25 mm	15 mm	6,4 mm
5542-25-20	25 mm	20 mm	8,4 mm
5542-30-15	30 mm	15 mm	6,4 mm
5542-30-20	30 mm	20 mm	8,4 mm
5542-35-15	35 mm	15 mm	6,4 mm
5542-40-20	40 mm	20 mm	8,4 mm
5542-50-15	50 mm	15 mm	6,4 mm



02

Crijevo za benzin

Pletivo od konca

02



Br. artikla	Unutrašnji promjer	Debljina stijenke	Duljina
5895-145	4,5 mm	2,50 mm	15 m

03

Podtlačno crijevo

temperaturno postojano do +110 °C

03



Br. artikla	Unutrašnji promjer	Debljina stijenke	Duljina
5895-355	5,5 mm	3,0 mm	20 m
5895-370	7,0 mm	3,0 mm	10 m
5895-375	7,5 mm	3,0 mm	10 m
5895-393	9,3 mm	3,0 mm	10 m

04

Crijevo za benzin

Crijevo kompresora

PVC s pletivom, prozirno

04



Br. artikla	Unutrašnji promjer	Debljina stijenke	Duljina
5895-45-80	4,0 mm	3 mm	15 m

05

Crijevo za gorivo

Pletivo konca, temperaturno postojano -40 °C do +110 °C, prikladno za biodizel i bio ulje, radni tlak 10 bar

05



Br. artikla	Unutrašnji promjer	Debljina stijenke	Duljina
5895-205	3,0 mm	7,5 mm	10 m
5895-206	3,5 mm	7,5 mm	10 m

06

Univerzalni filter benzina

KL 13

06



- Br. artikla: 5895-000-145
- Jedinica pakiranja: 25



01
Pasta za popravak ispuha
bez azbesta

- ▶ Br. artikla: 2893-148
- ▶ Sadržaj: 150 g
- ▶ Jedinica pakiranja: 12

- ▶ Opis proizvoda:
- brzo sušenje
- pastozno
- bez azbesta



02
Pasta za montažu ispuha
bez azbesta

- ▶ Br. artikla: 2893-149-1
- ▶ Sadržaj: 150 g
- ▶ Jedinica pakiranja: 12

- ▶ Opis proizvoda:
- brzo sušenje
- pastozno
- bez azbesta
- za brtvljenje spojeva

03
Prorezne matice
Thermag, DIN 14440,
normalna širina ključa



Br. artikla	Navoj	Širina ključa
6365-2	M8	13
6365-3	M10	17
6365-4	M12	19

04
Prorezne matice
Thermag, DIN 14441,
manja širina ključa




Br. artikla	Navoj	Širina ključa
6366-1	M6	9
6366-2	M8	12
6366-3	M10	14
6366-7	M10 x 1,25	14
6366-8	M8 x 1	12

05
Matice ispuha
s prirubnicom 17 mm
kvaliteta 8, pobakrena
Opel br. 8-54-906
visina 10 mm



Br. artikla	Navoj	Širina ključa
6365-6	M8	13 mm

06
Matice ispuha
s prirubnicom 21 mm
samoosiguravajuća
kvaliteta 8, pobakrena
Opel br. 8-54-976
visina 10 mm



Br. artikla	Navoj	Širina ključa
6365-65	M10	15 mm

07
Matice ispuha
s prirubnicom 17 mm
samoosiguravajuća
kvaliteta 8, pobakrena
Opel br. 20-66-156
visina 8 mm



Br. artikla	Navoj	Širina ključa
6365-61	M8	13 mm

08
Matice ispuha
s prirubnicom 17 mm
kvaliteta 8, pobakrena
BMW br. 1162-1711-954
visina 8,6 mm



Br. artikla	Navoj	Širina ključa
6365-8	M8	12 mm



01

01
Matica kotača Ford
OE-br. 1007487, 6040307, 1447852
M12 x 1,5 pocinčani
kvaliteta 8, širina ključa 19

► Br. artikla: 6395-12-15

OE-br. 1470843
M12 x 1,5 pocinčana
kvaliteta 10, širina ključa 19

► Br. artikla: 6395-12-151



02

02
Matica kotača Mazda
Mazda, Mitsubishi, Toyota
OE-br. Mazda 0603-26-161
OE-br. Mitsubishi MA103087
OE-br. Toyota 90942-01001-83
M12 x 1,5 žuta pasivirana
kvaliteta 8, širina ključa 21

► Br. artikla: 6395-012-15



05

05
Navojni umetci

Br. artikla Model s unutarnjim navojem Model s vanjskim navojem

5660-3	M3 x 0,5	5,0 x 0,5
5660-4	M4 x 0,7	6,5 x 0,75
5660-5	M5 x 0,8	8,0 x 1,0
5660-6	M6 x 1,0	10,0 x 1,5
5660-8	M8 x 1,25	12,0 x 1,5
5660-10	M10 x 1,5	14,0 x 1,5
5660-12	M12 x 1,75	16,0 x 1,5
5660-14	M14 x 2,0	18,0 x 1,5



06

06
Alat za navrtanje kod ručne montaže

Br. artikla Model s unutarnjim navojem Model s vanjskim navojem

5660-103	M3 x 0,5	5,0 x 0,5
5660-104	M4 x 0,7	6,5 x 0,75
5660-105	M5 x 0,8	8,0 x 1
5660-106	M6 x 1,0	10,0 x 1,5
5660-108	M8 x 1,25	12,0 x 1,5
5660-110	M10 x 1,5	14,0 x 1,5
5660-112	M12 x 1,75	16,0 x 1,5
5660-114	M14 x 2,0	18 x 1,5



03

03
Svornjaci kotača za Renault
Renault
OE-br. 8200030701
M12 x 1,5 x 23 plavi pocinčani
FK 10.9
Širina ključa 19

► Br. artikla: 6395-512-15



04

04
Svornjaci za kotač Audi / VW
Volkswagen / Audi
OE-br. 8D0 601 139 D
M14 x 1,5 x 25,5 geometrijski, crni
FK 8.8
Širina ključa 17

► Br. artikla: 6395-214-15



07

07
Umetci za svjećice

Br. art.	Izvedba
5660-014	M14 x 1,25 / 9
5660-014-1	M14 x 1,25 / 15
5660-018	M18 x 1,50 / 9



08

08
Alat za navrtanje kod ručne montaže

Br. art.	Izvedba
5660-114-1	M14 x 1,25
5660-118-1	M18 x 1,50



01
Univerzalne osovinske objumice set
prikladne za gotovo svako sobno vozilo

Br. artikla	Ř u mm
5884-900	95
5884-901	105



02
Zglobna mast pogonskog vratila
Greasor

- ▶ Br. artikla: 5884-950
- ▶ Sadržaj: 90 ml
- ▶ Jedinica pakiranja: 1

- ▶ Opis proizvoda:
- vrhunska mast na bazi litijeva sapuna s MoS2 kao fiksno mazivo
 - razvijeno posebno za vrlo opterećene homokinetičke zglobove te je idealno rješenje
 - za podmazivanje i mazanje pomičnih i fiksnih zglobova te kugličnih ležajeva



02

03
Objumica za manžete osovine

Br. artikla	Ř u mm
5550-884-31	27,6 - 30,8
5550-884-33	29,9 - 33,1
5550-884-35	31,4 - 34,6
5550-884-88	84,3 - 87,5
5550-884-97	93,3 - 96,5



03

04
Čelična kabelska spojnica

Br. artikla	Širina snopa	Duljina
5884-909	6,0 mm	380 mm



04

05
Čelična kabelska spojnica

Br. artikla	Širina snopa	Duljina
5550-46-127	4,6 mm	127 mm
5550-46-201	4,6 mm	201 mm
5550-46-360	4,6 mm	360 mm
5550-79-201	7,9 mm	201 mm
5550-79-362	7,9 mm	362 mm



05

01

Vijak registarske pločice

Plastika PA 6.6



01



Br. artikla	Boja	Izvedba
6210-078	bijeli	6 x 20 mm

06

Gumene pločice



06

Br. art.	Izvedba
6422-65-17	6,5 x 17 x 2 mm
6422-65-20	6,5 x 20 x 3 mm

07

Plastične razmačne ploče



07

Br. art.	Izvedba
6421-06-18	18 x 7 x 6 mm

02

Vijak registarske pločice

Glava: klinasti oblik, čelična pocinčana



02 / 1

02 / 2

Br. artikla	Izvedba	Slika
6210-41	5 x 15 mm	02 / 2
6210-42	5 x 20 mm	02 / 2
6210-46	6 x 20 mm	02 / 2
6246-6-20	6 x 20 mm	02 / 1

03

Vijak registarske pločice

Plastika PA 6.6, kompletno montirana



03

Br. artikla	Boja	Izvedba
6210-78	bijeli	6 x 20 mm

08

Vijci za lim s prijanjaćim utorom za ukrasne kapice

za učvršćenje registarske pločice, navoj prema DIN 7971, čelik, kvaliteta 4.8, sjajno pocinčano

► Br. artikla: 6103



08

09

Vijak registarske pločice

s vrhom svrdla
bušenje i zavrtnanje u jednom koraku
visoka zaštita od korozije

► 6211-0




09

04

Ukrasne kapice

za 6210, 6246




04

Br. artikla	Boja
6590-132-2	bijeli
6590-132-3	crna

05

Ukrasne kapice

za br. artikla 6103-



05

Br. artikla	Boja
6590-103	bijeli
6590-10-6	crna
6590-109	plava
6590-100	žuta

10

Vijak registarske pločice

Opel, uglavljena ploča, pocinčana

► Br. artikla: 6103-0




10

11

Vijak registarske pločice A2


Plemeniti čelik, DIN 7981

► Br. artikla: 6119



11

01

Kočni vod

Br. artikla	Izvedba	D	S	Duljina (D)
5885-090	Legura bakra i nikla	4,75 mm	0,71 mm	5 m
5885-091	Legura bakra i nikla	6,00 mm	0,71 mm	10 m

02

Produžetak kočnog voda

Čelik

02 / 1



02 / 2

Br. artikla	d1	d2	s x tl	Slika
5885-200	M10 x 1, stožac	promjera 3,5	14 x 24,0	02 / 2
5885-201	M12 x 1	promjera 4,0	17 x 29,0	02 / 2
5885-202	M10 x 1	promjera 3,2	11 x 28,0	02 / 1
5885-203	3/8" x 24UNF	promjera 3,1	14 x 33,2	02 / 2
5885-204	3/8" x 24UNF	promjera 3,2	11 x 28,0	02 / 1

03

Asortiman kočnih nazuvica





► Br. artikla: 1957-885

► Sadržaj: 90 dijelova



03

04

Čelična mazalica kočnog voda

Br. artikla	d1	d2 Ā	s x tl	Marka vozila
5885-100	M10 x 1 vanjski navoj	5,0	11 x 16,7	Alfa, Audi, BMW, Citroen, Dacia, Fiat, Ford, Honda, Mitsubishi, Mercedes, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Talbot, Volvo, VW, Zastava
5885-101	M12 x 1 vanjski navoj	5,0	12 x 20,0	Alfa, Audi, Citroen, Fiat, Ford, Honda, Opel, Peugeot, Renault, Rover, Seat, Skoda, Saab, Volvo, VW
5885-102	M10 x 1 vanjski navoj	5,0	11 x 24,8	Fiat
5885-103	M10 x 1, stožac vanjski navoj	5,0	10 x 16,7	Daihatsu, Hyundai, Nissan, Opel, Skoda, Toyota, Vauxhall, VW
5885-104	M10 x 1 vanjski navoj	5,0	10 x 23,0	Toyota, VW
5885-106	3/8" x 24UNF vanjski navoj	5,0	11 x 21,0	Bedford, Renault, Rover, Saab, Talbot, Vauxhall, Volvo
5885-109	M10 x 1,25 vanjski navoj	5,0	10 x 19,5	Autobianchi, Dacia, Fiat, Lada, Lancia, Zastava
5885-110	M10 x 1,25, stožac vanjski navoj	5,0	10 x 14,2	Mazda
5885-111	1/2" x 20UNF vanjski navoj	5,0	13 x 18,0	Peugeot
5885-112	M10 x 1, stožac vanjski navoj	5,0	10 x 18,0	Daihatsu, Honda, Hyundai, Isuzu, Mazda, Mitsubishi, Nissan, Opel, Suzuki, Toyota, VW
5885-113	M12 x 1 vanjski navoj	6,5	12 x 18,0	



01

01
Mazalica
DIN 71412, H 1

Br. art.	Izvedba
6986-40	M6 x 1
6986-41	M8 x 1
6986-42	M10 x 1



02

02
Mazalica
DIN 71412, H 2

Br. art.	Izvedba
6986-50	M6 x 1
6986-51	M8 x 1
6986-52	M10 x 1



05

05
Asortiman steznih čahura
DIN 1481, prazne

- ▶ Br. artikla: 1957-476
- ▶ Sadržaj: 985 dijelova

Br. art.	Količina	Br. art.	Količina
6476-2-20	100	6476-5-60	50
6476-2-30	100	6476-6-40	50
6476-3-20	100	6476-6-50	50
6476-3-40	100	6476-6-60	50
6476-4-40	100	6476-8-40	25
6476-4-60	100	6476-8-50	25
6476-5-30	50	6476-8-60	25
6476-5-40	50	6476-10-60	20



03

03
Mazalica
DIN 71412, H 3

Br. art.	Izvedba
6986-60	M6 x 1
6986-61	M8 x 1
6986-62	M10 x 1



04

04
Kutni zglobovi
DIN 71802, pocinčani

Br. artikla	1 mm x 2 mm	Oblik
6268-208-16	13 x 8	A
6268-508-16	13 x 8	AS

- A = standardno
- AS = sa sigurnosnom polugom



06

06
Stezne čahure
DIN 1481
prazne

Br. art.	Količina	Br. art.	Količina
6476-2-20	100	6476-5-60	50
6476-2-30	100	6476-6-40	50
6476-3-20	100	6476-6-50	50
6476-3-40	100	6476-6-60	50
6476-4-40	100	6476-8-40	25
6476-4-60	100	6476-8-50	25
6476-5-30	50	6476-8-60	25
6476-5-40	50	6476-10-60	20



01



02



05

01
Spojnik crijeva
ravni

Br. artikla	za promjer crijeva
5896-103	3 mm
5896-104	4 mm
5896-105	5 mm
5896-106	6 mm
5896-108	8 mm
5896-110	10 mm

02
Spojnik crijeva
T-oblik

Br. artikla	za promjer crijeva
5896-203	3 mm
5896-204	4 mm
5896-205	5 mm
5896-206	6 mm
5896-208	8 mm
5896-210	10 mm


05
Asortiman plastičnih crijevnih spojnica

- ▶ Br. artikla: 1957-896
- ▶ Sadržaj: 160 dijelova

Br. art.	Količina	Br. art.	Količina
5896-103	10	5896-303	10
5896-104	10	5896-304	10
5896-105	10	5896-305	10
5896-106	10	5896-306	10
5896-203	10	5896-403	10
5896-204	10	5896-404	10
5896-205	10	5896-405	10
5896-206	10	5896-406	10



03



04

03
Spojnik crijeva
kutni

Br. artikla	za promjer crijeva
5896-303	3 mm
5896-304	4 mm
5896-305	5 mm
5896-306	6 mm

04
Spojnik crijeva
Y-oblik

Br. artikla	za promjer crijeva
5896-403	3 mm
5896-404	4 mm
5896-405	5 mm
5896-406	6 mm
5896-408	8 mm
5896-410	10 mm

06
Plastično crijevo PVC, prozirno staklo

Br. artikla	Unutarnji ř mm	Debljina zida mm	Dužina role m
5895-3	3,0	1,0	15
5895-4	4,0	1,0	15
5895-5	5,0	1,2	15
5895-6	6,0	1,2	15
5895-8	8,0	1,5	15
5895-10	10,0	1,5	10
5895-12	12,0	2,0	10



06